



The Commonwealth of Massachusetts
Department of Environmental Protection
Division of Hazardous Materials

Small Quantity Generator Workbook

A self-help guide for small quantity generators of hazardous waste in Massachusetts

Published by the Office of the Secretary of State, Michael Joseph Connolly, Secretary

Revised: October 1993

*#*15 \$4.35

941/189




Written by Susan Landau Prepared by Ellen Frye Layout by Ricki Pappo

April 1989

A special thanks for contributions from: Peg Carson, Lynne Doty, Craig Goff, Rosemary Healey, Rachel Tepper, Rick Johnson and Bill Sirull.





The Commonwealth of Massachusetts

Executive Office of Environmental Affairs

Department of Environmental Quality Engineering

One Winter Street, Boston, Mass. 02108

April 10, 1989

Dear Small Quantity Generator:

This workbook is written especially for Small Quantity Generators, commonly called SQGs. Every business, school and other operation that monthly produces between 220 and 2200 pounds of hazardous waste is an SQG. The concepts presented here will also be useful to very small quantity generators; however, large generators will need more information.

As a guide to hazardous waste management, the workbook takes a self-help approach. It consists of question/answer scenarios, "what if" situations, exercises and sample labels, check lists and forms. The workbook is not a substitute for the Massachusetts Hazardous Waste Regulations, 310 CMR 30.000. The regulations are available for a small fee through the Massachusetts State House Bookstores at (617) 727-2834 or (413) 733-7876.

SQGs often call the Department of Environmental Quality Engineering with questions on hazardous waste. The workbook is organized in short sections that give the answers to typical questions and explain the next steps you should take. The answers are general. For more detail on your specific requirements, see the appendix or contact the Division of Hazardous Waste, Industry Assistance Line at (617) 292-5898.


Requirements for generators occasionally change. It is your responsibility to remain updated. Putting your workbook in a three-ring binder will make updating easy when new inserts are developed.

Preventing wastes, whenever possible, makes good business sense. But, for those wastes you must generate, use this guide. Write in it, copy it, share it with your employees and colleagues. Work through the following pages to begin a hazardous waste management program that will protect health, property and the environment.

Sincerely,


Daniel S. Greenbaum

Commissioner



Who Regulates My Hazardous Waste?

The Massachusetts Department of Environmental Protection (DEP) Division of Hazardous Waste (DHW)



Waste Prevention

Hazardous Waste

Solid Waste

Air Quality Control

Industrial Wastewater

Resource Protection

Water Pollution Control
Wetlands & Waterways
Water Supply

Waste Site Cleanup


Massachusetts Hazardous Waste Regulations include all federal Environmental Protection Agency (EPA) requirements and more. Massachusetts is more strict in belief that a densely populated, heavily industrialized state with shallow groundwater must take extra precautions.



Getting Started

What Should I Do?

If you think you may be a Small Quantity Generator of Hazardous Waste, you should:



NOTE: You may be asking yourself "How will I manage to do all this?" Read on. This workbook covers all of these activities and will guide you through the different steps.



Do I Have Hazardous Waste?

A waste is any solid, liquid, or contained gaseous material that you no longer use, and either dispose of or recycle. Wastes that could cause injury or death, or damage or pollute the land, air or water are considered hazardous wastes.

If your business appears on the table below, you probably generate hazardous waste. Information to help you classify this waste appears in Appendix A.

Typical Small Quantity Generators And Their Wastes

	Type of Business	Types of Hazardous Waste Generated
	Building Cleaning and Maintenance	Corrosives Ignitable Wastes Solvents
CONSTRUCTION	Boatyards and Marinas	Heavy Metals/Inorganics Ignitable Wastes Oils Solvents
	Construction	Corrosives Ignitable Wastes Oils PCBs Solvents
GAS	Educational and Vocational Shops	Corrosives Ignitable Wastess Reactives Oils Solvents
AUTO REFAIR SMOT	Equipment Repair	Corrosives Ignitable Wastes Oils PCBs Solvents
	Formulators	Corrosives Cyanide Wastes Heavy Metals/Inorganics Ignitable Wastes Reactives Solvents

Type of Business

Types of Hazardous Waste Generated

Funeral Services

Solvents

Formalin Solutions

Furniture Manufacturing

and Refinishing

Corrosives

Ignitable Wastes

Solvents

Laboratories

Corrosives

Heavy Metals/Inorganics

Ignitable Wastes

Reactives Solvents

Laundries and Dry Cleaners

Dry Cleaning Filtration

Residues and Filters

Solvents

Metal Manufacturing

and Finishing

Corrosives

Cyanide Wastes

Heavy Metals/Inorganics Ignitable Wastes/Reactives

Solvents

Spent Plating Wastes

Printing and

Allied Industries

Corrosives

Heavy Metals/Inorganics

Ink/Paint Sludges Spent Plating Wastes

Solvents

Vehicle Maintenance

Corrosives

Heavy Metals/Inorganics

Ignitable Wastes

Oil

Solvents



国们


PRINTING CO.


NOTE: This list gives examples of SQGs. Even if your type of business is not listed, you may have hazardous waste. Read on.

What Makes My Waste Hazardous?

Your waste is hazardous if it has any of the four hazardous characteristics, or if it appears as a listed waste in the Massachusetts Hazardous Waste Regulations.

Characteristic Hazardous Wastes






Y N . Ignitable?

Does the waste catch fire easily?
Is a flammable warning label on the original container?

Examples are paint wastes, certain spent solvents and degreasers, waste epoxy resins and metal dusts.




□□ Reactive?

Could the waste easily explode?

If mixed with water, would it create poisonous fumes
Is a reactive warning label on the original container?


Examples are cyanide plating wastes, waste bleaches
and other waste oxidizers



□□ Corrosive?

Would the waste dissolve a metal container?
Would it burn your skin?
See your Material Safety Data Sheet (MSDS).*

Examples are some rust removers, waste acid or alkaline degreasers, waste battery acid.



□□ EP Toxic?

Does the waste contain silver, arsenic, barium, cadmium, chromium, lead, mercury, or selenium? In certain concentrations these heavy metals are released from wastes and may contaminate groundwater. See the ingredients on the container or the MSDS.

Examples are X-ray and photographic wastes, dusts, wastewater treatment sludges, and some waste inks, paints and paint chips.

If your waste is not characteristic, let's find out if it is **Listed.**



*For information about the Material Safety Data Sheet (MSDS), see page 7

Listed Wastes

The Massachusetts Hazardous Waste Regulations list more than 400 hazardous wastes. The most common ones are included in Appendix A of this workbook. For more information, refer to the full set of Regulations, sections 30.130 - 30.136. You may also call the DHW office located in your region or the Industry Assistance Telephone Line (see page 53 for telephone numbers.)

Lists of HazardousWastes



Non-Specific Wastes

Generic wastes from common manufacturing and industrial processes such as degreasing parts and changing oil.



Source-Specific Wastes

Wastes from specific industries like wood preserving and ink formulating.



Commercial Chemical Products

Specific products such as creosote, as well as some pesticides and chemicals.



Acutely Hazardous Wastes


The more dangerous products and chemicals. Even in small amounts they are regulated in the same way as large amounts of other hazardous wastes.

NOTE: If you produce more than 2.2 pounds of acutely hazardous waste in a calendar month or ever store more than that amount, you are subject to all of the regulations that apply to Large Quantity Generators; you cannot qualify as an SQG.

Keep in mind If you are allowing hazardous waste to evaporate, to go in the trash, on the ground, or down a drain, it is against the law. Your waste must be collected and disposed of in a special manner.

What Is a Material Safety Data Sheet?

A Material Safety Data Sheet, MSDS, is an information sheet that describes the health effects and safe uses of a hazardous product. It can help you identify the hazardous characteristics and ingredients of your original product. If the product is hazardous, the waste is probably hazardous.



The Massachusetts Right to Know Law requires businesses to keep MSDSs for hazardous products on file and to provide them for employees upon request.

To obtain the MSDS, call the manufacturer or distributor of your product. If you do not know the manufacturer, call the Chemical Manufacturer's Association for help at (202) 887-1100 or (800) CMA-8200 with the information from the container label.

For copies of <u>Understanding MSDSs</u>, <u>Your Right To Know</u> contact the Right to Know Program, Division of Occupational Hygiene at (617) 969-7177.



Hazardous Waste Reduction and Management



Why Should I Reduce My Hazardous Wastes?

It makes good business sense to reduce the amount of hazardous waste you generate whenever possible, because:

Waste Reduction Pays!



Hazardous Waste Costs Money!

Waste reduction helps:

- Reduce risks to people and the environment
- Cut disposal costs
- Decrease your potential liability for cleanup of mishandled waste

You must pay for:

- Handling
- Storage
- Transportation
- Treatment or Disposal
- Analysis and Reporting
- Insurance Costs
- Potential Liabilities: suits, fines, cleanup of spills or contaminated property.





How Can I Reduce My Hazardous Wastes?

Certainly it is best if you can avoid producing hazardous waste. For wastes you must produce, consider reducing their volume or toxicity, and recycling.

Here are some ways you can do this:

Inventory control

Buy only the amount of product you need. Leftover hazardous products become unnecessary hazardous waste.

Use products that are less hazardous


Sometimes a non-hazardous or less hazardous product will do the same job, presenting less risk to you and your employees and costing less in waste disposal fees. For example, water-based paints and cleaners can sometimes replace oil paints and solvents.

Examine your operating practices to improve efficiency

- Avoid bad batches through quality control
- Prevent spills and leaks
- Schedule production shutdown and cleanup efficiently
- Maintain, calibrate, and modernize equipment to reduce waste
- Train employees to use products and handle wastes properly

Separate your hazardous wastes

Mixing different types of wastes may create more hazardous waste, increase disposal costs, or decrease recycling options. For example, avoid mixing water and antifreeze with used oil.





An on-site solvent recovery unit.

Recycle your waste, if possible

Recycling is saving one Pennsylvania die manufacturer nearly \$5,000 a year*. This company uses 1,1,1 Trichloroethane to degrease machine parts. Before installing an on-site solvent recovery unit, the company sent its used solvent off-site for reclamation. It bought reclaimed solvent at \$.80 per gallon and also some virgin 1,1,1, Trichloroethane at \$4.50 per gallon.

Now the company uses a solvent recovery unit to reclaim solvent on-site at a cost of \$.04 - \$.10 per gallon. The purchase of virgin solvent has dropped from 1,320 to 220 gallons per year.

Find out if your waste can be used by another company

Waste exchange organizations have been formed to help connect hazardous waste generators with other companies that can use the waste as feedstock or substitute materials in their operation. Relatively "pure" wastes that require little processing and surplus hazardous materials are most likely to be exchanged. The exchange of hazardous waste may be regulated. Call the DHW for more information.

Actual listings in a waste exchange catalog:

Wanted

Etching Solutions NE:W10-25 Dissolved copper, copper sulfate solutions free of organics, or copper sulfate crystals from etching operations. Any amt./frequency/pkg. RI.

Available

Bydrochloric NE:A1-110
Hydrochloric acid 20% in water from metal stripping. Contains nickel, chrome and other trace metals. 30-40
55 gal. drums available per month on a continuous basis. Sample available. Orangeburg, NY.

^{*}Example from Waste Minimization, Environmental Protection Agency, Oct. 1987

How Much Hazardous Waste Do I Generate?

First you must know what wastes you have. Inventory all activities in your operation and list any wastes they generate. Are they hazardous wastes? Estimate the amount generated in your busiest months. You will use this information later on to determine your generator category.

Activity	Waste/Chemical Name	Is It Hazardous? Why?	Monthly Generation
Change oil	oil	Yes-Toxic	225 gallons
Degrease engines	petroleum naptha	Yes-Ignitable	15 gallons
Change antifreeze	ethylene flycol	No *	
Replace exhausts	scrap metal	No **	
Replace batteries	old batteries	Yes, if leaking or discarded-consorius mone	
	Totals:	waste oil:	225 gallons
		acutely hazardous wastes:	None
		other hazardous wastes:	15 gallons
Sample Inver	itory - Dry Clean	er	
Sample mver		Is It Hazardous?	Monthly
Activity		as it itazai utus.	
Activity	Name	Why?	Generation
Activity Dry Cleaning		Why? Yes-Toxic	Generation 400 pounds

Totals: waste oil: none

acutely hazardous wastes: none

400 pounds other hazardous wastes:

- NOTE: Oil contaminated rags that are not professionally dry cleaned for reuse, oily soil, and absorbent materials are hazardous waste.
 - Containers from hazardous materials are considered hazardous waste unless they are empty.
- * Antifreeze is not a hazardous waste but must be managed responsibly. You may ship it with a hazardous waste transporter as a non-hazardous waste.
- ** Some non-hazardous wastes are regulated by other programs at DEQE. For example, discharges to the sewer or air may require a permit.

See the reverse side for an inventory form you can use.



Hazardous Waste Inventory			
Activity	Waste/Chemical Name	Is It Hazardous? Why?	Monthly Generation
	·		
	•		
	Totals:	waste oil: acutely hazardous wastes: other hazardous wastes:	

What Is My Generator Category?


As a generator of hazardous waste you must determine a generator category to understand what management rules apply to you.

Categories are based on the types and amounts of hazardous waste generated monthly. Massachusetts regulations define categories in kilograms.

- 1 kilogram (kg) equals 2.2 pounds.
- 1 gallon of water is about 8.35 pounds

The conversions below to gallons are approximations, based on the weight of water. Some wastes, such as chlorinated solvents, are much heavier, so the kilograms would convert to fewer gallons.

Categories



Very Small Quantity Generator (VSQG)

0-100 kgs of hazardous waste per month = 0-220 pounds or about 0-26 gallons

No acutely hazardous waste is allowed.



Small Quantity Generator (SQG)

100-1000 kgs of hazardous waste per month = 220-2200 pounds or about 26-265 gallons

Less than 1 kg of acutely hazardous waste is allowed.



Large Quantity Generator (LQG)

Over 1000 kgs of hazardous waste per month = 2200 pounds or more 265 gallons or more

Over 1 kg of acutely hazardous waste is allowed.

Jse the information above and your V	Vaste Inventory to fill in the blanks.
My generator category for used oil is	·
My generator category for other haza	rdous waste is

If you have used oil plus other hazardous wastes you have a category for each. If you have acutely hazardous waste or questions on your generator category, call the DHW for assistance.



Do I Notify Or Register?

All generators must inform The Division of Hazardous Waste (DHW) of their hazardous waste activities and obtain an Identification Number by registering or notifying.

Ask yourself:

In one month do I generate more than 265 gallons of used oil?
TYES TNO
In one month do I generate more than 26 gallons of other hazardous waste?
☐ YES ☐ NO
Do I ever generate acutely hazardous waste?
☐ YES ☐ NO
If you answered yes to <u>ANY</u> of the questions - NOTIFY.
If you answered no to <u>ALL</u> three questions - REGISTER.
If you move or go out of business, let the DHW know.

Identification Numbers are used nationally to track hazardous waste from "cradle to grave" (from where it came to where it went.) You will need an ID number for any transporter or treatment, storage, disposal facility to accept your waste. The ID number will identify your geographic location.

To Notify Or Register Call The DHW at: 1 (800) 343-3420

Let us know:

- · Your generator categories for waste oil and hazardous waste
- · If you need the notification form or registration card
- Your site address and mailing address

APPLICATION FOR EPA IDENTIFICATION NUMBER NOTIFICATION OF HAZARDOUS WASTE ACTIVITY IN MASSACHUSETTS	
INM (H-PACTAL USH ONLY NPA II) NUMBER MU DAY YEAR DATE ISSUED In order in puriculate in the hezardous waste marefest system, each generator, recycler, transporter and receiving facility meets have a federal identifica- tion moreter, which is assigned by the Environmental Protection Agency (EPA). You should allow up to 6 months for the assignment of this member, which will be mailed to you. For a transportery number, call Messachesens Decision of Hazardous Wasta (1-800-343-3420).	Compl location waste.
For exercising of completing this force, or to expect any changes in your activity, call the Division's Compliance Assistance Line (617-292-3998). I. NAME OF NOTIFYING COMPANY Do not punchaste. Leave a blank box between instals, as in A B C C O II. MAILING ADDRESS Abbreviate Superior similar words NUMBER STREET ON POBOX	Allow the ID mail.
SITE OF HAZARDOUS WASTE ACTIVITY Each location with Nazardous wester activity needs a separate ED. NUMRIER STREET CITY OF TURN STATE ZIP CODE	Call 1- Temp want to
VI. OWNERSHIP Error the name of the person or corporate errory which is the legal owner of the business, and the same for the	
I.J.C.A.I. OWNER OF PROPERTY I.J.C.	See th waste codes


Notification Form

Complete one form for each location generating hazardous waste.

Allow a few months to receive the ID Number(s) through the mail

Call 1-800-343-3420 for a **Temporary ID Number** if you want to ship waste before the permanent ID arrives.

See the appendix for common waste types and the 4-digit codes used to describe them.



Registration Card


Telephone the DHW to get an MAV ID Number over the phone, unless you already have an ID beginning with the letters MAD.




How Long May I Store Hazardous Waste? How Much May I Accumulate?

There are limits on how long you may store hazardous waste and on how much you may accumulate at one time. These limits depend on your generator category.

SQG Accumulation Limits



2,000 Kilograms in containers (about ten, 55 gallons drums)
SQGs who keep hazardous waste in tanks, may accumulate a total of 6,000 kgs, of which 2,000 kgs may be in containers (6,000 kgs is about 1,600 gallons.)




. .

180-day limit.


OR.

LQG Accumulation




90-day time limit and no volume limit.

VSQG Accumulation



600 kgs limit (about three, 55 gallon drums) and no time limit.

NOTE: When you reach your time or volume limit, you must have a licensed hazardous waste transporter remove the waste. Special exemptions allow Registered VSQGs to transport up to 55 gallons of their own waste to another generator or a disposal facility.





What Accumulation Limits Apply If I Have Both Hazardous Waste And Used Oil?

Accumulation limits depend on which of your generator categories is larger.

If...

- your hazardous waste category is *larger* than your used oil category, the accumulation limits for the hazardous waste apply.
- Example: An SGQ of hazardous waste and a VSQG of used oil may accumulate wastes for 180 days

OR

until the used oil plus other hazardous wastes equal 2000 kgs in containers or 6000 kgs in tanks.

If...

- your hazardous waste category is *smaller* than your used oil category, different accumulation limits apply to the two waste categories.
- Example: A VSQG of hazardous waste and an SQG of used oil may accumulate up to 2000 kgs (or 6000 kgs in tanks), of which 600 kgs can be hazardous wastes other than used oil.

There is a 180 day accumulation limit on the used oil, but no time limit on other hazardous wastes.

Accumulation limits for generators with two categories are confusing!

Call the DHW if you have questions.

Keep in mind

Never Mix Used Oil And Other Hazardous Wastes!




Catching Up With Your Waste

Many generators find they have some catching up to do when they learn about the accumulation limits. If you already have more hazardous waste than allowed for your category, or if you have been accumulating waste too long, take the following steps:



- Obtain a temporary identification number, unless you already have a permanent number.

 Call 1 (800) 343-3420
- Start to manage your hazardous waste according to the amount you produce monthly. To do this, you must know your generator category and its requirments.





Am I Labeling My Hazardous Waste Correctly

Every container and tank accumulating hazardous waste must be labeled with:

- •the words HAZARDOUS WASTE
- •the name of the waste
- the types of hazard(s)
- •the date accumulation began

This is a sample label. You may copy it or make your own.

This label is sold by Certified Business Forms at (617) 969-0550.

HAZARDOUS WASTE

examples:
oil,
acetone

examples: toxic, ignitable


NAME OF WASTE			
HAZARD(S)			
DATE ACCUMULATION BEGAN	1	/19	
HANDLE WITH CARE			

Keep in mind

Most of Notices of Noncompliance from Inspectors to SQGs include Failure To Label.



Is My Hazardous Well Designed?	s Waste Accumulation Area
The area where you accu	imulate your waste must meet certain conditions. Gooding leaks and spills - should be a number one
Y N	If you answer YES to <i>all</i> of the following questions, your accumulation area probably meets the design specifications in the Regulations.
	If you answer NO to any question, correct the problem now.
Y N	Is my accumulation area clearly marked, e.g. a fence, rope, or painted boundary line?
	Is a HAZARDOUS WASTE sign posted?
	Is the area secured against trespassers?
	Is the area located away from drains?
	If liquids are accumulated, is the floor liquid tight (impervious) with no cracks or gaps?
	Are there berms or dikes to separate incompatible wastes?
Additional Requirements for Outdoor Accumulation	
Y N	If liquids are accumulated, is there a diked or curbed perimeter to catch any spills? The containment capacity must be: - 10% of the total volume of all the containers or
Additional Requirements For Storing Ignitable and Reactive Hazardous Wastes	- 110% of the volume of the largest container, whichever is larger.
Y N	Is the area at least 50 feet from the property line?
	Is a NO SMOKING sign posted?
	Have all sources of sparks been eliminated?



Are My Containers of Hazardous Waste Properly Managed?

As a generator, you must inspect your hazardous waste containers each week and keep a record of these inspections for at least 3 years. A good way to track your inspections is by maintaining a weekly checklist. You may copy the sample checklist below or design your own.

Directions

Each week enter the date and your initials. If you do not identify a problem, make a \checkmark under the appropriate item in the log. If you do find a problem, place an X under the item to note that it needs correction. Record the date the deficiency was corrected in the last column.

Sample	Contain	er Checkl	ist			
Date/ Name	Containers closed	Containers labeled	Containers in good condition	Floor is clean	Aisles clear	Date of corrections
3/6/89	KL V	~	~	. x	- x	317189
3/13/89 5	KL.	~	~	✓	V	
	7\L.		· •			

Good Condition - No sign of:

leaks pitting bulging seam separation corrosion cracking deterioration denting

Clean- The floor shows no signs of spills or debris.

Aisles - Wide enough for each container to be inspected. (Ignitable and reactive hazardous waste must also meet guidelines set by the National Fire Protection Association's Code.)



See the reverse side for a weekly container checklist form you can use.



Weekly Container Check List						
Date/ Name	Containers closed	Containers labeled	Containers in good condition	Floor is clean	Aisles clear	Date of correction
-						
			:			

NOTE: EMPTY CONTAINERS which held hazardous products or wastes may be discarded in the trash.

- After you emptied as much of the contents as possible is there less than ONE INCH OF RESIDUE left in the container?
- If you are discarding a container that contained compressed gas has the pressure been relieved?
- If you are discarding a container that held acutely hazardous chemicals (the "P" list in the Regulations) you will need more information on special rinsing requirements. Call 292-5898.

How Can I Test Waste Oil Tanks For Leaks?

To be sure your underground waste oil tank is not leaking you must take monthly measurements of the waste in the tank and maintain monthly inventory records.

Skip this page if:

- you have no waste oil tanks on the ground or underground, or
- your waste oil tanks have secondary containment and leak detection equipment

Designate:

- an employee to do this test on a specific day of the month and
 - a place to file these records for at least 3 years

Directions

- A. Every 30 days enter the date and your initials.
- B. Measure the waste in your tank with a dip-stick. Record measurement, and seal the tank.
- C. 24 hours later, measure again and record.
- D. Subtract day 2 measurement from day 1 to calculate the difference and record.
- E. If the difference is over 1/2 inch, immediately report it to the DEP and your fire chief. Record the date and names of people who took the report.*



NOTE: Every 12 months this same test must be conducted, but the tank must be sealed for a <u>48</u> hour period between measurements.

SAMPLE LC)G		,	
A	В	C	D	E
Date/ Name	Day 1 measurement	Day 2 measurement	Difference in inches	Date reported
3/7/89 SKL 4/4/89 SKL 5/2/89 SKL	35.6°	35.6°	0	
414189 96	50.5°	50.5*	O	
5/2/89	61° -	59.5°	1.5	5/2

*My Regional DEP Office telephone number is _______

My Local Fire Department telephone number is _____

See the reverse side for a Waste Oil Tank Log form you can use.



Monthly Underground Waste Oil Tank Log				
A	В	C	D	E
Date/ Name	Day 1 measurement	Day 2 measurement	Difference in inches	Date reported
-				

NOTE: Every 12 months seal the tank for 48 hours (instead of 24 hours) between measurements.

IMPORTANT:

These regulations are subject to change. For further information contact the State Department of Public Safety (617 - 566 - 4500).

Am I Prepared For Emergencies?

As a SQG you are required to prepare for emergencies. Here are some of the questions you should ask yourself.


YN	
	Do I have an alarm or other communication system for instructing staff?
	Do I have a telephone, two-way radio or other device for contacting the police, fire or emergency response team?
	Do I have portable fire extinguishers and/or fire control equipment?
	Is there adequate water supply and pressure; automatic sprinkler, water spray, or foam producing equipment?
	Do I periodically test and properly maintain the equipment so it will be working in case of an emergency?
	Have I instructed each employee in emergency procedures?
	Have I clearly marked all exits?
	Have I posted the emergency phone numbers and an evacuation plan?
	Have I contacted the police and fire departments, the local board of health and any emergency response teams with information about my hazardous waste? (See sample letter on page 37.)

Evacuation Plan

You can meet this requirement with a floor plan of your plant showing:

- Areas where employees may be working.
- Evacuation routes, entrances, exits.
- Alarm, telephone.
- Water faucets, hoses and fire hydrants.
- Areas where hazardous waste and hazardous products may be located.
- Emergency equipment, e.g. fire extinguisher, shovel, overpack drum, absorbent materials.

(See sample plan on page 37.)



In Case Of Emergency

My Company's Emergency Coordinator name:	() -
My Back-Up Coordinator name:	() –
Local Fire Department	() –
Regional DEP Office >	() –
NATIONAL RESPONSE CENTER	(800) 424 - 8802
* If DEP is closed call STATE POLICE	(617) 566 - 4500
EPA Identification Number: MA	

Evacuation RouteFacility floor plan showing emergency exits.



Sample Hazardous Waste Notification Letter

XYZ PRINTING
12 A Street
Anywhere, Massachusetts 02373

January 15, 1988

Dear Sir/Madame:

This letter is to inform you that XYZ Printing is a small quantity generator of hazardous waste according to the Massachusetts Hazardous Waste Regulations. We are located at 12 A Street, Anywhere, Massachusetts. Our operation consists of a 3500 square foot office and print shop, and an attached hazardous waste accumulation shed. The hazardous wastes generated are:

Waste ink, ink sludge and rags Spent petroleum naptha and acetone Photographic waste containing sliver

Initially we collect the hazardous wastes in small containers located inside the print shop where they are generated. When the containers are full, we empty them into 55 gallon drums located in the hazardous waste accumulation shed. The shed is locked with a steel gate which prevents unauthorized entry, allows visual observation and ventilation.


All hazardous waste generated are handled in accordance with the regulations and disposed of off-site by a licensed transporter. In case of an emergency, the company is equipped with smoke and fire alarms, fire extinguishers, first aid supplies, and water sources as shown in our evacuation plan below.

We are providing you with this information in case of an emergency. Jack Brown is our emergency coordinator, he can be reached at work (617) 786-5642 or home (617) 892-5678. Please give him a call if you have any questions or would like additional information.

Respectfully yours,

Jane Doe President


12 A STREET



cc Fire Department Police

Board of Health

Emergency Response Team (if applicable)



Hazardous Waste Disposal




What Should I Do About the Transport and Disposal of My Hazardous Waste?

As a generator YOU ARE LIABLE for your hazardous waste. It is important that you know where your waste is going and that it is handled safely. You can be held responsible for clean-up expenses if your waste is mismanaged on your premises as well as after it is removed - "from cradle to grave."

Be aware:

- Hazardous waste transporters must be licensed by the Division of Hazardous Waste to pick-up hazardous waste in Massachusetts.
- The transporter's license will specify what kind of hazardous wastes that company is permitted to handle.
- The transporting company must have driver training, a \$10,000 bond, \$1 million insurance, safety equipment, and a VID (vehicle identification device) in each truck.
- The law requires transporters to know what waste they are handling. In most cases this means the generator's waste will have to be analysed or tested.
- It is your responsibility to choose a treatment or disposal facility that can accept your kind of waste. The transporter may help with this choice or you may call the DHW Licensing Branch for assistance, (617) 292-5851.

On page 41, is a questionnaire you may use to record information you need to know for each transporter you are considering.



Transporter Questionnaire

ansporter Name	
Address	
Contact	Telephone
Are you licensed by the Massachusetts Div	rision of Hazardous Waste?
YES License Number:	NO
Are you licensed to handle my type of wast Specify your wastes to the transporter.)	ze? YES NO
Do you help Small Quantity Generators to get an EPA Identification Number?_	
label the waste to fulfill the DOT Re	equirements?NO
obtain and complete the manifest? _	YESNO
Will you take my waste in containers?(The transporter may pump the waste into	
Do you analyze the waste? YES How often will you want it tested? How much does the analysis cost?	
Will you pick-up small amounts of waste?	YES NO
Will you provide on-call service?Y	ES NO
Who will be my contact for future service?	
What are your total charges?	Are there any add-on costs?

up the same day.



What is a manifest?

A manifest is a multiple copy shipping paper which is used to track the disposal of hazardous waste. The manifest <u>must</u> accompany <u>every</u> waste shipment that leaves the generator's property, regardless of size.

Common problems: Commonwealth of Massachusetts DEPARTMENT OF ENVIRONMENTAL QUALITY ENGINEERING DIVISION OF SOLID AND HAZARDOUS WASTE One Winter Street Boston, Massachusetts 02108	Problem: Incorrect or missing EPA#'s
UNIFORM HAZARDOUS UNIFORM HAZAR	Problem: Missing amounts
SAFETY SERVICES WIADIOINIZERY 1511 115/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	
Waste Flammable Liquid or Solid NOS DIDIZPIM DIDILI DEFIL DO 1071	Problem: Incorrect or missing waste codes
J Authorized Dispersional for Meteorials Listed Alseve Institute physical States and Institute of Stat	Problem: Missing signatures
16 Spo. 121 Humshing Instructions and Additional information 16 Spo. 121 Humshing Instructions and Additional information 16 Spo. 121 Humshing Instructions and Additional information 20 Of the Industry S Clarify & All LUC Investor anchor that the currents of any consumption are had one according price date determiny or any consumption of a second price date of the second layer and according to the second of the second price date of the second layer and according to the second of the second layer and the second of the second layer and the second l	Problem: Missing shipment dates
Superstant of the state of the	Problem: Missing dates
20. Factory Owner or Courselor. Cortific steers of recount of the product motionals covered by this more direct accept on next of in flow 18. Delic Therefore A record Name STEVE HOT Figure V as 60 (PA) were A 7 ULU 27 steers V as 60 (PA) were A 7 ULU 27	Problem: Missing signature

- NOTE:1. Print dark and heavy.
 - 2. Print. Don't write.
 - 3. Know what waste the facility can accept so it won't be rejected and returned.
 - 4. Generators must correctly identify waste so that the facility can accept it.

Who is Required to Use a Manifest?


All generators shipping hazardous waste through a licensed transporter are required to use a manifest. If you are shipping only waste oil and it is going to a facility in Massachusetts, you may use a 4 part manifest. Other shipments by large and small generators require an 8 part manifest, copies of which go to DEP and other state environmental agencies. It is the generator's responsibility to fill out and distribute manifests properly.

Note: companies must also manifest hazardous waste produced from leased materials, eg., waste solvents from a parts washer.


Why Use a Manifest?

Massachusetts and federal laws require that the DEP track hazardous waste from "cradle to grave" or from the point where the waste was generated to its final destination. The manifest allows the generator to track the waste during shipment, to ensure that it arrives at its proper destination, which is a treatment, storage, or disposal facility.

If the generator does not receive a signed manifest copy from the destination facility within 35 days of the shipment date, it is the generator's responsibility to determine why the shipment did not arrive at the designated facility.



If the shipment does not arrive at the designated facility within 45 days, the generator must file an exception report with the state environmental agency. Under the Superfund Law, generators are always potentially liable for any mismanagement of their hazardous waste. Generators are also liable under the Massachusetts Hazardous Waste Management Act, MGL Chapter 21C, for improper handling of their hazardous waste. While the manifest functions as an enforcement tool, it also contains valuable information that may be critical to emergency response personnel if an accident occurs.



Detailed instructions for distributing manifest copies are on the back of the manifest form, but a basic explanation of the distribution breakdown is as follows:

Note: copy distribution may vary from state to state.

The Manifest Tracking System - Who does what? Who gets what?

Massachusetts Generator	Transporter	Designated Facility	Comments	
		If designated facility is in Mass., facility mails copies 1 and 2 to DEP/DHW*	If designated facility is outside of Mass., facility mails copy 1 to state where	
			facility is located and mails copy 2 to DEP/DHW*+.	
Retains in files for at least three years.		Mails to generator confirming that the waste has reached its destination.	Copy must be returned to generator within 35 days from the shipment date.	
		Retains in files for at least 3 years.		
	Retains in files for at least three years.			
If designated facility is in Mass., generator mails to DEP/DHW*.			If designated facility is outside of Mass., copy 6 is mailed to state where facility is	
Generator mails to DEP/DHW*.			located + .	
Generator retains . in files for at least three years.	-			
	Retains in files for at least three years. If designated facility is in Mass., generator mails to DEP/DHW*. Generator mails to DEP/DHW*.	Retains in files for at least three years. Retains in files for at least three years. Retains in files for at least three years. If designated facility is in Mass., generator mails to DEP/DHW*. Generator mails to DEP/DHW*.	Retains in files for at least three years. Generator mails to DEP/DHW*. Generator retains in files for at least	

^{*} DEP/DHW Manifest Section 1 Winter Street Boston, MA 02108

⁺ See appendix B for out-of-state environmental agency addresses.

What Manifest Do I Use When Shipping My Hazardous Waste?

The manifest form you use depends on where your receiving facility is located.

- If you are shipping your waste to a facility in **Massachusetts**, you must use the Massachusetts manifest form.
- If you are shipping your waste to a facility in Connecticut, Maine, Rhode Island, Vermont, or New Hampshire, you must use either the Massachusetts manifest form or the receiving state's manifest form.
- If you are shipping your waste to a facility in Alabama, Arkansas, California, D.C., Delaware, Illinois, Indiana, Maryland, Michigan, Minnesota, Missouri, New Jersey, New York, Ohio, Oklahoma, Pennsylvania, South Carolina, Texas, Wisconsin, you must use the receiving states manifest form (see list of states in Appendix B for phone numbers and addresses of out-of-state environmental agencies.)
- If you are shipping your waste to a state without its own manifest form (eg., Virginia), you must use the Massachusetts manifest form.

Where Can I Purchase Manifests?

Generators can usually obtain blank copies of manifests from their transporters, but if the transporter is unable to provide these forms, Massachusetts manifests can be purchased from the following companies:

Certified Business Forms, Inc. Newton, MA (617) 969 - 0550


Brady Business Forms, Inc. Lowell, MA (508) 458 - 2585


Recordkeeping

Good Recordkeeping is to Your Benefit!

As a generator, you are required to keep on file your EPA identification number and manifest copies 3 and 8, for all of your hazardous waste shipments. But, it is to your advantage to organize any information pertaining to your hazardous waste so that it is readily available when you need it...as when an inspector asks to see it. Keep all of this information in one filing area.

- Hazardous waste transporters
- Waste analysis
- Checklists and logs suggested in this workbook
- Emergency information
- *MSDS sheets *required under the MA Right to Know Law





What Happens When The DHW Inspector Arrives?

DHW personnel have the authority according to MGL c. 21C to inspect any business or commercial operation which is known to handle hazardous waste or which the DHW has reasonable cause to believe handles hazardous waste. Here are some tips on what goes on during an inspection.

Inspectors arrive unannounced, but do not panic.

In addition to detecting violations an inspector may provide educational materials and advice, such as:

- Suggest ways to increase the safety of your operation, decrease worker exposure to hazardous chemicals, and minimize your costs.
- Alert you to other environmental laws that may apply to you.

Upon entering your operation the inspector:

- Introduces him/herself to the receptionist and shows DEP identification.
- Asks to see the person in charge of daily operations; e.g., the plant manager, general manager or foreman.

The inspector will explain the purpose of the inspection and ask you for:

- Records on your hazardous wastes.
- A verbal description of your operation, its processes, products, and the types and quantities of wastes produced.

The inspector will want to tour the premises with you to observe:

- The operations, areas of waste accumulation in containers and tanks.
- Areas where products are stored and possibly the outdoor areas.

When violations of 310 CMR 30.000 are detected:

• The inspector will record the problems, point them out to you, and explain how to correct them.

The inspection will conclude with:

- A discussion of any hazardous waste management problems or violations.
- A review of the requirements you need to meet and possibly a description of the steps you need to take.

You will receive a written record of the inspection, and the results through the mail.



Congratulations!

You have completed the SQG Workbook. You should now have an understanding of hazardous waste and how to manage it legally and safely. We know it can get complicated. So, if you have questions, contact the DHW office located in your region (see next page) or call our Industry Assistance Line in Boston, (617) 292-5898. Forms, factsheets and a 16 page summary of SQG requirements can be obtained free of charge.

Here are other resources you may find helpful:

<u>AGENCY</u> <u>TYPE OF INFORMATION</u>

Board of Health What can go in the local landfill?

Local Sewer Authority What can go into the sewer or storm drain?

Dept. of Occupational Hygiene How do I provide Right-to-Know training for

employees? (617) 969-7177

Fire Department How do I store ignitable/reactive materials?

Office of Technical Assistance, How do I minimize wastes?

Executive Office of (617) 727-3260 Environmental Affairs

Department of Environmental Protection

Air Quality Control Air quality standards.

(617) 292-5630

Hazardous Waste Site Cleanup For emergencies call your Regional DEP Office.

For general information on Superfund sites, the Massachusetts Contingency Plan, and reportable

quantities call (617) 556-1071 or 292-5907.

Solid Waste Disposing of solid and special wastes such as

asbestos and construction debris.

(617) 292-5960

Toxic Use Reduction General information.

(617) 292-5810


Water Pollution Control Nonhazardous wastewater discharge permits.

(617) 292-5673

for building, filling, dredging or other activities?


(617) 292-5518

Other important telephone numbers:



For More Information

How To Contact DEP



Western Region 1

Central Region 2

Adams Agawan Alford Amherst Ashfield Becket Belchertown Bernardston Blanford Brumfield Buckland Charlemont Cheshire Chesterfield Chicopee Clarksburg Colmin Conway Cummington Dalton Deerfield

Easthampton

Egremont

Erving

East Longmeadow

Florida Gill Goshen Granby Granville Gr.Barrington Greenfield Hadley Hampden Hancock Hatfield Hawley Heath Hinsdale Holland Holyoke Huntington anesboro Lee Lenox Leverett Leyden Longmeadow Ludlow Middlefield

Monroe Montegue Monterey Montgomery Monson Mt. Washington New Ashford New Marlboro New Salem North Adams Northampton Northfield Orange Palmer Pelham Penu Piusfield Plainfield Richmond Sandisfield Sandisfield Savoy

Shelburne Shutesbury Southampton South Hadley Southwick Springfield Stockbridge Sunderland Tolland Tyringham Wales Ware Warwick Washington Wendell Westfield Westhampton
West Springfield
West Stockbridge Whately Wilbraham Williamsburg Williamstown Windsor Worthington

Acton Ashbumham Ashby Athol Aubum Ayer Barre Bellingham Berlin Blackstone Bolton Boxboro Boylston Brookfield Charlton Clinton Douglas Dudley Dunstable East Brookfield Fitchburg Gardner Grafton Groton Harvard Hardwick Holden

Hopedale Hopkington Hubbardston Hudson Holliston Lancaster Leicester Leominster Littleton Lunenburg Marlboro Maynard Medway Mendon Milford Milbury Millville New Braintree Northboro Northbridge North Brookfield Oakham Oxford Paxton Pepperell Petersham Philipston

Princeton Royalston Rutland Shirley Shrewsbury Southboro Southbridge Spencer Sterling Stowe Smrbnage Sutton Templeton Townsend Tyngsboro Upton Uxbridge Warren Webster Westboro West Boylston West Brookfield Westford Westminster Winchendon Worcester

Metro Boston / Northeast Region 3

Sheffield

Amesbury Andover Arlington Ashland Bedford Belmont Beverly Billenica Boston Boxford Braintree Brookline Burlington Cambridge Canton Carlisle Chelmsford Chelsea Cohassei Concord Danvers Dcdham Dover Dracut

Essex Everett Framingham Georgelown Gloucester Groveland llamilion Haverhill Hingham Holbrook Hull Ipswich Lawrence Lexington Lincoln Lowell Lynn Lynnfield Malden Manchester Marblehead Mcdfield Mcdlord Melrose

Merrimac Methuch Middleton Millis Milton Nahant Natick Necdham Newbury Newburypon Newton Norfolk North Andover North Reading Norwood Peabody Quincy Randolph Reading Revere Rockport Rowley Salem Salisbury


Sherborn Somerville Stoneham Sudbury Swampscott Tewksbury Topsfield Wakefield Walpole Waltham Watertown Wayland Wellesley Wenham West Newbury Weston Westwood Weymouth Wilmington Winchester Winthrop Woburn

Southeast Region 4

Abington Acushnet Auleboro Avon Barnstable Berkley Bourne Brewster Bridgewater Brockton Carver Chatham Chilmark Dartmouth Dennis Dighton Duxbury Eastham East Bridgewater Easton Edgartown Fall River Falmouth Foxboro

Franklin Freetown Gay Head Gosnold Halifax Hanover Hanson Harwich Kingston Mansfield Marion Marshfield Mashpee Mattapoisett Middleboro Nantucket New Bedford North Attleboro Norton Norwell Oak Bluffs Orleans Pembroke Plainville

Plymouth Provincetown Raynham Rehoboth Rochester Rockland Sandwich Scimate Seekonk Sharon Somersel Stoughton Swansea Taunton Tisbury Truro Wareham
Wellfleet
West Bn
Westpon
West Tisbury Whitman Wrentham Yarmouth



Appendix



EPA 4 Digit Waste Codes For Hazardous Wastes Commonly Generated By SQGs.

You will need the Waste Codes for your hazardous wastes for the:

Application for a EPA Identification Number when "notifying" DEP and The Manifest when shipping waste off-site.

This Appendix does not include all hazardous wastes. Citations from the Massachusetts Hazardous Waste Regulations are given if more information is needed.

Except for the pesticides and wood preserving categories, the codes are not included for commercial chemical products that are hazardous when discarded. (See page 6 for explanation of commercial chemical products.)

ACUTELY hazardous wastes are identified with an asterisk (*).

TO USE THIS APPENDIX:

- 1. Find your business type on page 3 to identify waste streams commonly produced by your activities.
 - Find each waste stream in this appendix and review the more detailed descriptions and check off (✓) the wastes you actually generate in your operation.
- 2. Refer to your waste inventory on page 14 for any additional hazardous wastes and check them off in the appendix.
- If you have questions, or are unable to determine the proper waste code call the DHW. We can 4. better help you if you have the MSDS when you call.

CORROSIVES

D002 is the waste code for all corrosive materials and solutions. Acids, bases, or mixtures having a pH less than or equal to 2 or greater than or equal to 12.5 are considered corrosive. (310 CMR 30.123) Examples:

Acetic Acid Ammonium Hydroxide

Chromic Acid Hydrobromic Acid Hydrochloric Acid Hydrofluoric Acid

Nitric Acid Oleum

Perchloric Acid Phosphoric Acid Potassium Hydroxide Sodium Hydroxide Sulfuric Acid

Note: Leaking lead acid batteries are corrosive hazardous waste. Intact batteries are not hazardous waste nor are they counted toward your generator category when they are recycled.

DRY CLEANING FILTRATION RESIDUES

F002 is the waste code for cooked powder residue (perchloroethylene plants only), still residues, and spent cartridge filters containing perchloroethylene or valclene.

D002 is the waste code for still residues containing petroleum solvents with a flashpoint less than 140 F.



HEAVY METALS/INORGANICS

Heavy metals and other inorganic waste materials are Toxic if an extract or a leachate from a representative sample of the waste has concentrations higher than those shown below.

	Concentration in	
Contaminant	milligrams per liter	Waste Code
Arsenic	5.0	D004
Barium	100.0	D005
Benzene	0.5	D018
Cadmium	1.0	D006
Carbon tetrachloride	0.5	D019
Chlordane	0.03	D020
Chlorobenzene	100.0	D021
Chloroform	6.0	D022
Chromium	5.0	D007
o-Cresol	200.0	D023
m-Cresol	200.0	D024
p-Cresol	200.0	D025
Cresol	200.0	D026
2,4-D	10.0	D016
1,4-Dichlorobenzene	7.5	D027
1,2-Dichloroethane	0.5	D028
1,1-Dichlorethylene	0.7	D029
2,4-Dinitrotoluene	0.13	D030
Endrin	0.02	D012
Heptachlor (and its hydroxide).	0.008	D031
Hexachlorobenzene	0.13	D032
Hexachlorobutadiene	0.5	D033
Hexachloroethane	3.0	D034
Lead	5.0	D008
Lindane	0.4	D013
Mercury	0.2	D009
Methoxychlor	10.0	D014
Methyl ethyl ketone	200.0	D035
Nitrobenzene	2.0	D036
Pentachlorophenol	100.0	D037
Pyridine	5.0	D038
Selenium	1.0	D010
Silver	5.0	D011
Tetrachlorethylene	0.7	D039
Toxaphene	0.5	D015
Trichloroethylene	0.5	D040
2,4,5-Trichlorophenol	400.0	D041
2,4,6-Trichlorophenol	2.0	D042
2,4,5-TP (Silvex)	1.0	D017
Vinyl chloride	0.2	D043
1119. 011101240		2010

IGNITABLE WASTES

D001 is the waste code for ignitable waste unless otherwise specified. (310 CMR 30.122) Ignitable wastes include liquids that have a flashpoint less than 140° F, any non-liquids that are capable of causing a fire through friction, absorption of moisture, or spontaneous chemical change, or any ignitable compressed gas.

Examples are spent solvents (see solvents also), solvent still bottoms, ignitable paint wastes, (paint removers, brush cleaners and stripping agents), epoxy resins and adhesives (epoxies, rubber cements and marine glues), and ink wastes containing flammable solvents. Examples:



Appendix A continued

Ignitable Wastes, continued


Acetone	F003
Ethyl Ether	F003
Methanol	F003
Methly Isobutyl Keton	F003
Petroleum Distillates	D001
Xylene	F003

PESTICIDES

The pesticides listed below are hazardous waste if discarded. Wastes marked with an asterisk (*) are classified as acutely hazardous and are regulated more strictly. (30.133 and 30.136) Note that while many of these pesticides are no longer in common use, they are sometimes found in storage.

*Aldicarb	P070
*Aldrin	P004
Amitrole	U011
*Arsenic Pentoxide	P011
*Arsenic Trioxide	P012
Cacodylic Acid	U136
Carbamic Acid, Methylnitroso-Ethyl Ester	U178
Chlorodane	U036
*Copper Cyanides	P029
1,2-Dibromo-3-chloropropane	U066
1,2-Dichloropropane	U083
1,3-Dichloropropene	U084
2,4-Dichlorophenoxy Acetic Acid	U240
DDT	U061
*Dieldrin	P037
Dimethylcarbamoyl Chloride	. U097
*Dinitrocresol	P047
*Dinoseb	P020
Disodium Monomethanearsenate	D004
*Disulfoton	P039
*Endosulfan	P050
*Endrin	P051
Ethylmercuric Chloride	D009
·	
*Famphur	P097
*Heptachlor	P059
Hexachlorobenzene	U127
Kepone	U142
Lindane	U129
2-Methoxy Mercuric Chloride	D009
· · · · · · · · · · · · · · · · · · ·	Dota
Methoxychlor	D014
*Methly Parathion	P071
Monosodium Methanearsenate	D004
*Nicotine	P075
*Parathion	P089
Pentachloronitrobenzene	U185
	U242
Pentachlorophenol	D009
Phenylmercuric Acetate	P094
*Phorate	P108
*Strychnine	
2,4,5-Trichlorophenoxy Acetic Acid	U232





Pesticides, continued	
2-(2,4,5-Trichlorophenoxy)-Propionic Acid	U233
*Thallium Sulfate	P115
Thiram	U244
*Toxaphene	P123
Warfarin	U248

REACTIVES

D003 is the waste code for reactive wastes unless otherwise specified. Reactive wastes include reactive materials or mixtures which are unstable, react violently with or form explosive mixtures with water, generate toxic gases or vapors when mixed with water (or when exposed to pH conditions between 2 and 12.5 in the case of cyanide or sulfide bearing wastes), or are capable of detonation or explosive reaction when heated or subjected to shock. (310 CMR 30.124) Examples:

Chromic Acid Perchlorates
Cyanides Permanganates
Hypochlorites Sulfides
Organic Peroxides

SOLVENTS

1741----1

Solvents, spent solvents, solvent mixtures, or solvent still bottoms are often hazardous. These wastes include solvents used in degreasing (code F001), and paint brush cleaning and distillation residue from reclamation. (310 CMR 30.131)

Also see ignitable.

Isopropanol Kerosene	D001 D001 D001
Methyl Ethyl Ketone Naphtha Petroleum Solvents (flashpoint under 140° F)	F005 D001 D001
1,1,2-Trichloroethane Tetrachloroethylene (Perchloroethylene)	F002 F001
Toluene Trichloroethylene Trichlorotrifluoroethane (Valclene)	F005 F001 F002
White Spirits	D001

SPENT PLATING AND CYANIDE WASTES

Spent plating wastes contain cleaning solutions and plating solutions with caustics, solvents, heavy metals and cyanides. Cyanide wastes may also be generated from heat treatment operations, pigment production and manufacturing of anticaking agents. Plating wastes are generally waste codes F006-F009, with F007-F009 containing cyanide. Cyanide heat treating wastes are generally codes F010-F012. (310 CMR 30.131).

WOOD PRESERVING AGENTS

Examples:	
Chromated Copper Arsenate	D004
Creosote	U051
Pentachlorophenol	F027

APPENDIX B

MAIL COPY 6 OF THE MANIFEST TO THE DESTINATION STATE

ALABAMA

Dept. of Environmental Management Land Division Congressman W.L. Dickerson Drive Montgomery, AL 36130 (205) 271-7737

ARKANSAS

Dept. of Pollution Control & Ecology Solid & Hazardous Waste Division P.O. Box 9583 Little Rock, AR 72219 (501) 562-7444

CONNECTICUT

Dept. of Environmental Protection Hazarodus Materials Management Unit 165 Capitol Avenue Hartford, CT 06106 Attn: Jeanne Brennan (203) 566-5217

ILLINOIS

Environmental Protection Agency Division of Land Pollution Control 2200 Churchill Road P.O. Box 19276 Springfield, IL 62794-9276 (217) 785-2361

INDIANA

Dept. of Environmental Management Off. of Solid & Haz. Waste Mgmt. 105 South Meridian Street Box 6015 Indianapolis, IN 46206-6015 (317) 232-8603

LOUISIANA

Dept. of Environmental Quality Office of Solid & Hazardous Waste P.O.Box 44307 Baton Rouge, LA 70804 (504) 342-4677

MAINE

Dept. of Environmental Protection Bur. of Oil & Haz. Mat. Control State House - Station 17 Augusta, ME 04333 (207) 289-2651

MARYLAND

Dept. of Environment Hazardous Waste Division 201 West Preston Street Baltimore, MD 21201 (301)225-5709

MICHIGAN

Dept. of Natural Resources Waste Management Division P.O. Box 30038 Lansing, MI 48909 (517) 373-2730

MINNESOTA

Pollution Control Agency Hazardous Waste Division 520 Lafayette Road St. Paul, MN 55155 (612) 296-7784

MISSOURI

Dept. of Natural Resources Div. of Environmental Quality Waste Management Agency P.O. Box 176 Jefferson City, MS 65102 (314) 751-3176

NEW HAMPSHIRE

Dept. of Environmental Serv. Waste Management Division 6 Hazen Drive Concord, NH 03301-6509 (603) 271-2921

NEW JERSEY

Dept of Env. Protection
Div. of Haz. Waste Management
Manifest Section - 5th Floor
40 State St. Box CN028
Trenton, NJ 08625
(609) 635-1394

NEW YORK

NYDEC Div. of Solid & Haz. Waste P.O. Box 12820 Albany, NY 12212 (518) 457-6858

OHIO

Env. Protection Agency Div. of Solid & Haz. Waste 1800 Watermark Drive Columbus, OH 43266-1049 (466) 644-2100

PENNSYLVANIA

Dept. of Env. Resources
Bureau of Solid Waste Mgmt.
P.O. Box 2063
Harrisburg, PA 17120
Attn: Manifest Section
(717) 787-6239

Appendix B continued

RHODE ISLAND

Dept. of Environmental Management Division of Air & Hazardous Materials 291 Promenade Street Providence, RI 02908-5767 (401) 277-2797

SOUTH CAROLINA

Dept. of Health & Environmental Control J. Marion Sims Building Bur. of Solid & Haz. Waste Management 2600 Bull Street Columbia, SC 29201 (803) 734-5200

TEXAS

Texas Water Commission P.O. Box 13987, Capitol Station Austin, TX 78711 (512) 463-8175

VERMONT

Agency of Natural Resources Hazardous Waste Management Div. 103 South Main Street, West Building Waterbury, VT 05676 (802) 244-8702

VIRGINIA

Dept. of Waste Management Monroe Building, 11th Floor 101 North 14th Street Richmond, VA 23219 (804) 225-2667

WISCONSIN


Dept. of Natural Resouces Bureau of Solid Waste Management P.O. Box 7921 Madison, WI 53707 (608) 267-7551


After completing the manifest and transferring the hazardous waste to the transporter, the generator mails copy 6 to the state environmental agency where the designated facility is located. See box number 9 on the manifest for the designated facility location.

All addresses subject to change. List is best available information as of August 1988.

Almost half the hazardous waste in Massachusets is generated by SQGs

Almost 90% of the generators in Massachusetts are SQGs





Last year

- About 407 Notices of Noncompliance were issued by hazardous waste inspectors.
- Generators' penalties ranged from \$750 \$21,800





